It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the sepcified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a papenalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Colorimeter" with the above enquiry number.

This enquiry will be closed on the 31st of March 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Calorimeter:—Suitable for the Physician and also for the Chemist. It must be capable of the following range of applications:— (1) Hæmoglobin estimations. (2) Concentration measurement. (3) Colour measurement. (4) P. H. measurement. (5) Turbidity measurement.	One.	Bangalore City	

N.B.—Quotations should be furnished separately for—

(1) Calorimeter proper, and (2) for the additional fittings for increasing the range of applications specified above.

Yours faithfully,
T. Rangaswami,
Secretary,
Stores Purchase Committee.

GOVERNMENT OF MYSORE-ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Notification dated 20th March 1939.

DAVANGERE-CHITALDRUG TRANSMISSION LINE CARTING.

The attention of the public is invited to this Office Notification dated the 13th February 1939, inviting tenders for "Carting Davangere-Chitaldrug Transmission and Telephone Line Materials," published in Part VI, pages 363 and 364 of the Mysore Gazette, dated the 23rd February 1939. The last date of receiving tenders is extended up to 8th April 1939, 2 p.m.

An earnest money of Rs. 200 should accompany the tender.

M. HAYATH,

For Chief Electrical Engineer.

OFFICE OF THE SUPERINTENDING ENGINEER, ELECTRICAL DEPARTMENT, BANGALORE.

Notification dated 17th March 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Superintending Engineer, Electrical Department, Bangalore, up to 2 P.M. on the 31st March 1939 for constructing:—

- (1) Two Blocks of four Linemen's quarters at Thattikere, Kankanhalli Taluk.
- (2) Two Blocks of four Linemen's quarters at Sarjapur with latrine.
- (3) Three Blocks of Linemen's quarters at Kankanhalli with latrine.

An approximate estimate of quantities is given below. These quantities are not guaranteed. The works should be completed by the end of June 1939.

2. Plans, detailed estimate and conditions may be seen at the Office of the Superintending Engineer,

Electrical Department, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Superintending Engineer. The tender should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

- 4. Each tender must be accompanied by a deposit of Rs. 300 for quarters at Thattikere, Rs. 300 for quarters at Sarjapur, Rs. 400 for quarters at Kankanhalli in cash or Government promissory notes as earnest money, and be superscribed "Tender for constructing Linemen's quarters on the High Tension Power line" in default of which tenders will be rejetced. Separate tenders should be submitted for buildings at the three places mentioned above.
- 5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason for the rejection of any tender.
- 6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which this tender will be considered cancelled and his earnest money forfeited.
- 7. The name of the successful competitor, whose tender has been accepted, will be pasted on to the Notice Board in the Superintending Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.
 - 8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.
 - 9. Rates once tendered will not be enhanced on any account.
- 10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Public Works Department or those fixed by the Superintending Engineer, after working out data with not more than 10 per cent for contractor's profit.
- 11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Superintending Engineer will be final and legally binding.
- 12. Quotations must be given in words as well as in figures and they must be in specific terms of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.
- 13. Charges on account of water, scaffolding materials, implements for setting out, barricading, clearing site, supply of workmen, etc., that may be found necessary during the execution will not be paid for separately, but should be borne by the contractor.

Statement showing the items of work for constructing Linemen's quarters.

Stone in clay foundation and basement with bond stones as per specification Burnt brick in clay superstructure	ty Rate to be quoted	Quantity	Unit	Description	Item No.
Concrete stone jelly in lime mortar in foundation Stone in clay foundation and basement with bond stones as per specification Burnt brick in clay superstructure Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling-for reepers complete Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and cement pointed T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{ \frac{1}{2} \] dia iron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" eto., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Flooring with 3" lime concrete and 1\frac{1}{2}" cement concrete on top and cement plastering on top Sqr. 8.00	1).]		
Concrete stone jelly in lime mortar in foundation Stone in clay foundation and basement with bond stones as per specification Burnt brick in clay superstructure Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling-for reepers complete Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and cement pointed T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{ \frac{1}{2} \] dia iron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" eto., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Flooring with 3" lime concrete and 1\frac{1}{2}" cement concrete on top and cement plastering on top Sqr. 8.00	Rs. a. p.		. :		
Concrete stone jelly in lime mortar in foundation Stone in clay foundation and basement with bond stones as per specification Burnt brick in clay superstructure Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and cement pointed No. 16 T.W. wrought and put up including 2 coats of wood oiling T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{ \frac{1}{2} \] dia iron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" eto., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Flooring with 3" lime concrete and 1\frac{1}{2}" cement concrete on top and cement plastering on top Sqr. 8.00		29	Cvd.	Earthwork excavation and filling in basement	1
Stone in clay foundation and basement with bond stones as per specification Burnt brick in clay superstructure Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling-for reepers complete Ridge tiles set in mortar and cement pointed Ventilating tiles fixed complete T.W. wrought and put up including 2 coats of wood oiling T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \$" diation bars with all fixtures, complete Complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" eto., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. 8.00	9	309		Concrete stone jelly in lime mortar in foundation	
per specification Burnt brick in clay superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed Ventilating tiles fixed complete T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{ \} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	J			Stone in clay foundation and basement with bond stones as	
Burnt brick in clay superstucture Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W.reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \frac{1}{8}" dialiron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1\frac{1}{2}" cement concrete on top and cement plastering on top 1,58 560 Sqt. 1,50 Sqt. 5,75 44.00 1,50 Sqt. 54. 54. 55. 55. 60 Sqt. 5. 60 Sqt. 60 Sqt. 84. 60 Sqt. 84. 60 Sqt. 85. 60 Sqt. 86.	1	741	,,	per specification	, -
Burnt brick in mortar superstructure Stone slabs 4" thick roughly dressed and fixed in mortar Sqr. S.ft. Sqr. Chunam plastering, two coats Sqr. 44.00 1.50 White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling-for reepers complete Sqr. R.ft. Sqr. Ridge tiles set in mortar and cement pointed R.ft. No. 16 T.W. wrought and put up including 2 coats of wood oiling C.ft. T.W. battened windows with 1" thick shutters and \{ \} dia iron bars with all fixtures, complete S.ft. T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long Sqr. Sqr. T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Sqr.	8	1,538	,,		4
Stone slabs 4" thick roughly dressed and fixed in mortar Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling-for reepers complete Sqr. Ridge tiles set in mortar and cement pointed No. Ridge tiles set in mortar and cement pointed No. T.W. wrought and put up including 2 coats of wood oiling Cr. T.W. battened windows with 1" thick shutters and \{\frac{1}{2}\] T.W. battened doors with 1" thick shutters and \{\frac{1}{2}\] dia. iron bars with all fixtures, complete Complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Sqr. Sqr. Sqr. Sqr. Sqr. Sqr. Sqr. Sqr.	1	560		Burnt brick in mortar superstructure	· 5
Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed No. T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{\frac{1}{2}\}" dialir iron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1\frac{1}{2}\" cement concrete on top and cement plastering on top 44.00 1:50 45.5 45.5 5qr. Sqr. Sqr. Sqr. Sqr. Sqr. Sqr. Sqr. S		1.50	S.ft.	Stone slabs 4" thick roughly dressed and fixed in mortar	6
Cement pointing with thread lines White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed R.ft. Ventilating tiles fixed complete T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{\frac{1}{2}\}" dialization bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1\frac{1}{2}\" cement concrete on top and cement plastering on top 156 157 158 159 150 150 150 150 151 150 150			Sqr.	Chunam plastering, two coats	7.
White and colour washing, two coats Roofing with first class Mangalore tiles on T.W. reepers 2"×1" including wood-oiling for reepers complete Ridge tiles set in mortar and cement pointed R.ft. Ventilating tiles fixed complete T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1" thick shutters and \{ \} dia. iron bars with all fixtures, complete T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Thooring with 3" lime concrete and 1\{ \} " cement concrete on top and cement plastering on top 45.5 Sqr. Sqr. 54.5 Sqr. 64. No. 16 C.ft. 52.52 Sqr. 5.50 Sqr. 60 Sqr. 60 Sqr. 80 80 80 80 80 80 80 80 80 8		1.50	,,	Cement pointing with thread lines	8
including wood-oiling-for reepers complete Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and geometry and cement concrete on top and cement plastering on top Ridge Ridge Ridge tiles set in mortar and cement pointed Ridge Ridge Ridge Ridge Ridge Ridge Ridge tiles set in mortar and geometry on top Ridge	5	45.5	` ,,	White and colour washing, two coats	
including wood-oiling-for reepers complete Ridge tiles set in mortar and cement pointed Ridge tiles set in mortar and peats of wood oiling Ridge tiles set in mortar and geometre and geometre set in the set in				Roofing with first class Mangalore tiles on T.W. reepers 2"×1"	10
Ridge tiles set in mortar and cement pointed Ventilating tiles fixed complete T.W. wrought and put up including 2 coats of wood oiling T.W. battened windows with 1' thick shutters and all fixture complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3" × 4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top R.f.t. No. 16 Sqr.				including wood-oiling for reepers complete	
T.W. wrought and put up including 2 coats of wood oiling . C.ft. T.W. battened windows with 1" thick shutters and \(\frac{1}{3}\)" dialiron bars with all fixtures, complete				Ridge tiles set in mortar and cement pointed	
T.W. battened windows with 1" thick shutters and §" dia. iron bars with all fixtures, complete				Ventilating tiles fixed complete	
iron bars with all fixtures, complete S.ft. T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long " T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Sqr. Chocolate painting, 2 coats Sqr. Constructing sinks in Bath Room No. 4 Providing stone mortar and pestle fixing complete " Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. Sqr. 8.00	2 '	52.52	C.ft.	T.W. wrought and put up including 2 coats of wood oiling	
T.W. battened doors with 1" thick shutters and all fixture complete including iron clamps 1' long, 156 T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Sqr. 5.50 Constructing sinks in Bath Room No. 4 Providing stone mortar and pestle fixing complete, 7 Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. 8.00	J 1 .	ا سے ا			14
complete including iron clamps 1' long T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. 8.00	b	75	S.It.	iron bars with all fixtures, complete	
T.W. shelves with panelled shutters and planks frame 3"×4" etc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top 800 Sqr. No. 4 Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top 800	c	150	,	T.W. battened doors with 1" thick shutters and all fixture	15
ctc., complete Chocolate painting, 2 coats Constructing sinks in Bath Room Providing stone mortar and pestle fixing complete Theoring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. Sqr. Sqr. Sqr. 8.00	0	190	,, '	complete including iron clamps I' long	
17 Chocolate painting, 2 coats 18 Constructing sinks in Bath Room 19 Providing stone mortar and pestle fixing complete 20 Flooring with 3" lime concrete and 1½" coment concrete on top and cement plastering on top Sqr. 5.50 No. 4 4 8.00		60		T.W. shelves with panelled shutters and planks frame 3" × 4"	16
Constructing sinks in Bath Room					
Providing stone mortar and pestle fixing complete Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top Sqr. 8.00				Chocolate painting, 2 coats	
Flooring with 3" lime concrete and 1½" cement concrete on top and cement plastering on top	1	4		Constructing sinks in Bath Room	
top and cement plastering on top Sqr. 8.00	F	*	,,	Providing stone mortar and pestie fixing complete	
1		8 00	Sar	Flooring with 3" lime concrete and 12 cement concrete on	20
ALLIEVELING THE GRAING TO	* · · · ·	0.00			
	1	••	٠.١٠٠	Leveling the ground	
22 Providing and fixing T.W. planks 1" thick on T.W. Pegs fixed in wall S.ft. 100	0	100	S ft.	rroviding and fixing I.W. planks I thick on I.W. regs fixed	22

Statement showing the items of work for constructing one unit of Latrine.

Item No.	Description	Unit	Quantity	Rate to be quoted
1 2 3 4 5 6 7	Earthwork excavation for foundation Stone in mortar foundations and basement Burnt brick in mortar superstructure Chunam plastering, two coats Cement pointing with thread lines White and colour washing, two coats Cement plastering ½" thick Tar washing, two coats	C.yd. C.ft. Sqr.	4 130 193 491 0.56 5.47 0.80 0.63	Rs. a. p.
9 10 11	Flooring with 3" lime concrete 1" cement concrete and plaster ½" thick in cement mortar Fixing outlets and constructing drains Providing galvanised iron sheet tubs 12"×6" complete with tarring	L.S. Each	0.38	

L. A. H. WINCKLER, Superintending Engineer.

OFFICE OF THE CHIEF COMMANDANT, MYSORE STATE TROOPS, BANGALORE.

Notice No. C. I. -2293/38-39, dated 21st March 1939.

The following colts of the Hessarghatta Grass Farm will be sold by public auction near the Queen's Statue, Cubbon Park, Bangalore, at 9-30 a.m. on Thursday the 30th March 1939. Intending purchasers may inspect these-animals at the Mysore Lancers Lines, Hebbal, Bangalore, from the 25th instant.

Terms of Sale.

- 1. The highest bidder for each horse should pay the full sale amount as soon as the sale is closed. If he fails to do so, the horse will be resold at his risk.
- 2. The bidder of the first sale will then be liable to make good to Government any loss which may result from the resale. But he will have no right to any excess amount that may be realised in the resale.
- 3. All amounts due to Government from the highest bidders will be recovered as arrears of land revenue.
 - 4. For all monies paid, proper receipts should be obtained from the sale-conducting Officer.
- 5. The sale will be conducted by the Officer Commanding, Myosre Lancers, or other Officer deputed by him.
 - 6. The sale-conducting Officer may reject the highest bid if he considers it too low.

/						Description of animals		
No.			Name		Colour	Sex	Age	
1 2	13–35 Ind 2–35 ,,				Bay Chest	Geld Mare	4 years.	

G. MALLIKARJUNIAH,
For Chief Commandant.